

ASME SA53, ASTM A53 Pipes & Tubes

Solitaire overseas is one of the leading exporter, supplier, of ASTM A53 Pipe & ASME SA53 Pipe. We have a huge stock A53 schedule 40 pipe & SA53 Seamless pipe. Hence, We regularly Export & Supply Seamless, Welded, ERW Carbon Steel A53 pipe

For More Details Click Here [ASTM A53 Pipe](#)

ASTM SA53, A53 Pipes & Tubes Specifications

ASME SA53 & ASTM A53 Pipes & Tubes Size	NPS 1/4" – 30" OD, Custom Size Available
Heat Exchanger Tubes & Condenser Tubes Grades	SA53 Pipes & Tubes, A53 Pipes & Tubes
Type	Seamless SA53 Pipe & Tube, ASTM A53 Pipe & Tube, Type E Pipes & Tubes, Type F A53 / SA53 Pipes & Tubes, SA53 / A53 Type S Pipes & Tubes
Length	Double Random & Required Length, Single Random, & Custom Length Available
Shape/Form	Round Pipes & Tubes, Coiled Tubes, "U" Shape Pipes & Tubes.
Pipes & Tubes End	Plain End, Beveled End, Treaded Protected With Plastic Caps
Coating Of SA53 & A53 Tubes	Anti-Corrosion Oil, Galvanised Finish, Black Painting, Finish as per Customer Requirements
Origin	Indian Origin, Japanese Origin, US Origin, Ukraine Origin, Russian Origin, Korean Origin, European Origin,
Grade	ASTM A53 Grade A & Grade B, ASME SA53 Grade A & Grade B





ASME SA53, ASTM A53 Chemical Composition

Grade	C, max	Mn, max	P, max	S, max	Cu*, max	Ni*, max	Cr*, max	Mo*, max	V*, max	
ASTM A53 & ASME SA53 Type S(Seamless)	A53 / SA53 Grade A	0.25	0.95	0.05	0.05	0.40	0.40	0.40	0.15	0.08
	SA53 / A53 Grade B	0.30	1.20	0.05	0.05	0.40	0.40	0.40	0.15	0.08
Type E (Electric- resistance Welded)	SA53 / A53 Grade A	0.25	0.95	0.05	0.05	0.40	0.40	0.40	0.15	0.08
	A53 / SA53 Grade B	0.30	1.20	0.05	0.05	0.40	0.40	0.40	0.15	0.08
Type F (Furnace- welded)	ASTM A53 / ASME SA53 Grade A	0.30	1.20	0.05	0.05	0.40	0.40	0.40	0.15	0.08